



The Avan Aspire Range

www.avan.com.au







- 2. Air conditioning (roof top)
- 3. Hot dipped galvanised chassis
- 4. 15" alloy wheels
- 5. Double glazed tinted windows
- 6. LED tail light
- 7. Two-piece entry door with retracting fly screen
- 8. Lockable water filler with mains pressure inlet
- 9. 2 water tanks on shower vans single tank on 499 and non-shower models)

- 11. LED patio light
- 12. 240v external power point
- 13. Step light
- 14. Boot light
- 15. Rear bumper, spare wheel, and jack
- 16. Entry door grab handle

Layouts & features are subject to change without notice. Please check with your dealer prior to purchase.

It's all about the lifestyle










It's all about the lifestyle


ASPIRE COLLECTION SPECIFICATIONS


MODEL	Body Length Exterior	Garage Length Overall	Travel Height	Interior Height	Width (Awning)*	Ball Weight (Approx)	Tare Weight (Approx)
ACRIPE 400 DOD TOD			2010	2045	2200		
ASPIRE 402 - POP TOP	3860mm	5330mm	2910mm*	2045mm	2390mm	135kg	1040kg
ASPIRE 402 - HARD TOP	3860mm	5330mm	2700mm*	1915mm	2390mm	115kg	1040kg
ASPIRE 470 - POP TOP	4700mm	6360mm	2430mm*	2045mm	2390mm	140kg	1390kg
ASPIRE 470 - HARD TOP	4700mm	6360mm	2700mm	1915mm	2390mm	140kg	1420kg
ASPIRE 484 -1 - POP TOP	4890mm	6360mm	2450mm	2045mm	2390mm	130kg	1350kg
ASPIRE 484 -1 - HARD TOP	4890mm	6360mm	2700mm	1915mm	2390mm	130kg	1380kg
ASPIRE 484 - 2 - POP TOP	4990mm	6460mm	2450mm	2045mm	2390mm	110kg	1370kg
ASPIRE 484 - 2 - HARD TOP	44990mm	6460mm	700mm	1915mm	2390mm	120kg	1400kg
ASPIRE 499 - POP TOP	4890mm	6360mm	2450mm*	2045mm	2390mm	105kg	1250kg
ASPIRE 499 - HARD TOP	4890mm	6360mm	2700mm*	1915mm	2390mm	110kg	1250kg
ASPIRE 525 - POP TOP	5180mm	6850mm	2450mm*	2045mm	2390mm	145kg	1270kg (525 S/T 1320kg)
ASPIRE 525 - HARD TOP	5180mm	6850mm	2700mm*	1915mm	2390mm	145kg	1270kg (525 S/T 1320kg)
ASPIRE 555 - POP TOP	5360mm	6900mm	2460mm*	2045mm	2390mm	135kg	1455kg
ASPIRE 555 - HARD TOP	5360mm	6900mm	2750mm*	1915mm	2390mm	135kg	1455kg
ASPIRE 563 - POP TOP	5490mm	7090mm	2450mm*	2045mm	2390mm	125kg	1615kg
ASPIRE 563 - HARD TOP	5490mm	7090mm	2700mm*	1915mm	2390mm	125kg	1660kg
ASPIRE 572 - HARD TOP	7180mm	5720mm	2590mm	1915mm	2435mm	140kg	1785kg
ASPIRE 587/1 - HARD TOP	5870mm	7550mm	2700mm*	1915mm	2390mm	110kg	1855kg
ASPIRE 587/2 - HARD TOP	5870mm	7550mm	2700mm*	1915mm	2390mm	110kg	1855kg
ASPIRE 587/3 - HARD TOP	5870mm	7550mm	2700mm*	1915mm	2390mm	130kg	1855kg
ASPIRE 587/4 - HARD TOP	5870mm	7550mm	2880mm*	1915mm	2435mm	120kg	1980kg
ASPIRE 604 - HARD TOP	6040mm	7700mm	2700mm*	1915mm	2390mm	140kg	1950kg
ASPIRE 617/1 - HARD TOP	6170mm	7700mm	2700mm*	1915mm	2390mm	140kg	1950kg
ASPIRE 617/1 - HARD TOP	6170mm	7700mm	2700mm*	1915mm	2390mm	140kg	1950kg


















AVAN ASPIRE PRODUCT CATALOGUE

Avan... Others Follow.

Illustrations are not always standard units. Plans, dimensions and weights are subject to change without notice due to ongoing design and development of product and are subject to ©Copyright. All patents pending. Reproduction of materials may vary at time of manufacture. Please check with your Avan dealer to ensure your chosen van specifications, equipment and colours are available prior to placing order.

Avan Campers, Caravans, Motorhomes © Copyright 2020



Authorised Dealer:



FOR MORE INFORMATION, PLEASE CONTACT

Q 23 PHOEBE CRST,

BUNDABERG QLD 4670